

### Progress towards achieving European Vaccine Action Plan goals, 2017

Goal	Indicator	Status	Goal	Indicator	Status
1	Sustain polio-free status <sup>a</sup> (Current risk)	Yes (Low)	4	Meets vaccination coverage targets DTP3 national immunization coverage ≥95% <sup>d</sup> ≥90% DTP3 coverage achieved in ≥90% of districts <sup>e</sup>	No Yes ND
2	Measles elimination status <sup>b</sup>	Eliminated	_	Make evidence-based decisions about introduction of new vaccines <sup>*e</sup>	No
2	Rubella elimination status <sup>b</sup>	Eliminated	5	NITAG made a recommendation about PCV NITAG made a recommendation about RV NITAG made a recommendation about HPV	ND ND ND
3	Control hepatitis B infection <sup>c</sup>	Validation pending	6	Achieve financial sustainability of the national immunization programme** <sup>c</sup>	Yes

\*New vaccines introduced or not introduced based on NITAG evidence-based recommendations \*\*Country self-sufficient for procuring routine vaccines

### Demographic, income and health expenditure summary, 2017


Total Population <sup>f</sup>	11 159 773
Live births	89 070
Surviving infants	88 800
<5 years	457 990
<15 years	1 586 310
Neonatal mortality rate (per 1000 live births) <sup>f</sup>	3
Infant mortality rate (per 1000 live births) <sup>f</sup>	4.3
Number of districts <sup>e</sup>	54
GNI (per capita, in USD) <sup>g</sup>	18 340
Health spending as % of total government expenditure <sup>g</sup>	9



### Immunization schedule, 2017<sup>e</sup>


Birth	HepB_Pediatric				
2M	DTaP, Hib, IPV, PCV, Rotavirus				
4M	DTaP, HepB_Pediatric, Hib, IPV, PCV, Rotavirus				
6M	DTaP, Hib, PCV, Rotavirus				
6-18M	HepB_Pediatric, IPV				
>12M	HepA_Pediatric				
12M	MenC_conj				
12-15M	Hib, MMR, MMRV, PCV, Varicella				
15-18M	DTaP				
>2Y	Pneumo_ps				
2-3Y	PCV				
4-6Y	DTaP, IPV, MMR, MMRV, Varicella				
11-12Y	MenACWY-135 conj, Tdap, TdaPIPV, TdIPV				
11-15Y	HPV(2x), MenACWY-135 conj				
21-22Y	Td*				
*10 years after Tdap, repeats every 10 years					







### Vaccine coverage estimates, 2013-2017<sup>d</sup>

### DTP3 reported coverage by subnational area<sup>+</sup>, 2017<sup>e</sup>



MCV1 reported coverage by subnational area<sup>+</sup>, 2017<sup>e</sup> MCV2 reported coverage by subnational area<sup>+</sup>, 2017<sup>e</sup>





## Number of reported cases of vaccine-preventable diseases, 2013-2017<sup>e</sup>

	2013	2014	2015	2016	2017
Measles	3	1	1	0	968
Mumps	0	1	4	4	7
Rubella	0	0	0	0	0
Congenital rubella syndrome	0	0	0	0	0
Diphtheria	0	0	0	0	0
Tetanus	1	2	6	3	2
Pertussis	28	16	17	87	41
Hepatitis A	158	86	62	214	279
Varicella	2	5	9	9	15


# Surveillance with laboratory confirmation of cases, ${\rm 2017^e}$

Measles	Yes
Rubella	Yes
Congenital rubella syndrome	Yes
Rotavirus	No
Invasive meningococcal disease	Yes
Invasive pneumococcal disease	Yes
Invasive Haemophilus influenzae disease	Yes


Note: Case-based surveillance (with laboratory confirmation of cases) assessed for measles, rubella, and congenital rubella syndrome. Hospital-based sentinel surveillance and/or population-based surveillance (both with laboratory confirmation of cases) assessed for rotavirus, invasive meningococcal disease, invasive pneumococcal disease, and invasive *Haemophilus influenzae* disease.




## Number of reported measles, mumps and rubella cases<sup>e</sup> and MCV coverage estimates<sup>d</sup>, 2013-2017




# Percentage of districts by DTP3 reported coverage<sup>e</sup>, 2013-2017



# Number of reported diphtheria, tetanus and pertussis cases<sup>e</sup> and DTP3 coverage estimates<sup>d</sup>, 2013-2017



### DTP1-DTP3 dropout rate, 2013-2017<sup>d</sup>



Note: Dropout rate is calculated using WUENIC

### Immunization system characteristics, 2017


Sustained access to WHO accredited polio, measles, and rubella laboratories <sup>h</sup>				
NITAG in place that meets six WHO criteria <sup>e</sup>				
National system in place to monitor AEFIs <sup>e</sup>	ND			
Communication plan in place to respond to vaccine safety-related events <sup>e</sup>				
Vaccine hesitancy assessment performed within last 5 years <sup>e</sup>				
Mandatory proof of immunization at school entry <sup>e</sup>				

Note: The six WHO NITAG criteria are 1. legislative or administrative basis for the advisory group; 2. formal written terms of reference; 3. at least five different areas of expertise represented among core members; 4. at least one meeting per year; 5. circulation of the agenda and background documents at least one week prior to meetings; 6. mandatory disclosure of any conflict of interest



### Vaccine stockouts by administrative level<sup>e</sup>, 2013-2017

	2013	2014	2015	2016	2017
BCG	ND	ND	ND	ND	ND
DTP	ND	ND	ND	ND	ND
НерВ	ND	ND	ND	ND	ND
Hib	ND	ND	ND	ND	ND
Pneumo	ND	ND	ND	ND	ND
Rota	ND	ND	ND	ND	ND
OPV	NR	NR	NR	NR	NR
IPV	ND	ND	ND	ND	ND
Measles	ND	ND	ND	ND	ND
HPV	*	*	*	ND	ND
TT	ND	ND	ND	ND	ND



\*Data on HPV stockouts have only been collected in JRF since 2016

#### Abbreviations

AEFI	Adverse event following immunization	MCV1	measles-mumps-rubella vaccine, first dose
BCG	Bacille Calmette-Guerin vaccine for tuberculosis	MCV2	measles-mumps-rubella vaccine, second dose
CRS	congenital Rubella Syndrome	MMR	measles-mumps-rubella vaccine
DT	diptheria-tetanus-containing vaccine	ND	Data not available
DTP	diptheria-tetanus-pertussis-containing vaccine	NITAG	National Immunization Technical Advisory Group
DTP1	diphtheria-tetanus-pertussis-containing vaccine, first dose	NR	Not relevant as vaccine not included in immunization schedule
DTP3	diphtheria-tetanus-pertussis-containing vaccine, third dose	OPV	oral polio vaccine
GNI	Gross national income	PCV	pneumococcal conjugate vaccine
НерВ	hepatitis B	PCV3	pneumococcal conjugate vaccine , third dose
НерВЗ	hepatitis B vaccine, third dose	Pol3	polio-containing vaccine, third dose
HepB-BD	hepatitis B vaccine, birth dose	RCV1	rubella-containing vaccine, first dose
Hib	Haemophilus influenzae type b	Rotac	rotavirus vaccine-complete series
Hib3	Haemophilus influenzae type b vaccine, third dose	Td	tetanus-diphtheria-containing vaccine
HPV	human papillomavirus	TT	tetanus toxoid vaccine
IPV	inactivated polio vaccine	W,M,Y	Weeks, Months, Years
MCV	measles-containing vaccine		

#### **Data sources**

- a European Regional Commission for Certification of Poliomyelitis eradication (RCC) meeting report: www.euro.who.int/32ndRCC
- b European Regional Verification Commission for Measles and Rubella Elimination (RVC) meeting report: www.euro.who.int/7thRVC
- c European Vaccine Action Plan 2015-2020 Midterm report
- d WHO/UNICEF Estimates of National Immunization Coverage (WUENIC): (http://www.who.int/immunization/monitoring\_surveillance/data/en/)
- e WHO/UNICEF Joint Reporting Form on immunization (JRF)
- f World Population Prospects: The 2017 Revision, New York, United Nations
- g World Bank, World Development Indicators
- h Polio Laboratory Network: www.euro.who.int/poliolabnetwork & Personal communication based on annual accreditation process of the European Measles and Rubella Laboratory Network

### Map disclaimer

<sup>+</sup> The boundaries and names shown and the designations used on the maps do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.